

A Journal of Before and After Orthodontic Smile Development

SMILES BY DR. MICHAEL SEBASTIAN This journal of *Before and After* orthodontic smile development is a compilation of the various types of patients we have treated over the years. It is divided into the different types of treatment and types of patients we treat. Maybe you can find someone with teeth like yours!

Enjoy!

Dr. Michael Sebastian

Sections

Page	2	Phase I Smile Development (6-10 yo)
Page	13	Phase I and II Smile Development (11-14yo)
Page	20	Adolescent Smile Development (11-15 yo)
Page	21	Class I (Normal Back Bite)
Page	29	Class II (Increased Over Bite)
Page	34	Class II with TADs
Page	38	Class III (Under Bite)
Page	41	Extractions (Tooth Removal)
Page	46	Missing Teeth (Opening and Closing Space)
Page	60	Adult Smile Development
Page	68	Adult TADs and Extractions
Page	77	Surgical Facial Smile Development
Page	82	Complex Smile Development with Restorations
Page	89	Limited Smile Development
Page	94	Invisalian

PHASE I SMILE DEVELOPMENT

Front Open bite Tongue Thrust & Narrow Upper Jaw with Crossbite Of Back teeth



After



Upper Expansion & Tongue Guard

Front Open Bite Narrow Upper Jaw with Crossbite Of Back teeth



After




Upper Jaw Expansion & Tongue Guard

Front Open Bite & Crossbite of Back Teeth



After



Upper Jaw Expansion & Tongue Guard

Front Open Bite & Crossbite of Back Teeth with Shift of Lower Jaw



After



Upper Jaw Expansion & Tongue Guard

Crowding & Crossbite of Back Teeth on both sides

Before



After




Upper & Lower Jaw Expansion

Upper & Lower Crowding




After



Upper & Lower Jaw Expansion

Crossbite of Front Teeth

Before






Upper & Lower Braces

(will have Phase II Smile Development later to finalize alignment)

Front & Back Crossbite




After



Upper Jaw Expansion

Front & Back Crossbite



After



Upper Expansion & Braces

Impacted Front Tooth



After




Upper Braces


PHASE I & II SMILE DEVELOPMENT

Phase I & Phase II Narrow Upper Jaw with Crossbite of Back Teeth

Before Phase I




After Phase I




Upper Expansion (6 Months)

After Phase II



After Phase II




Upper & Lower Braces (15 Months)


Phase I & Phase II

Crowded & Constricted Upper & Lower Arches

Before Phase I




After Phase I




Upper & Lower Expansion (8 Months)

Before Phase II



After Phase II




Braces 18 (Months)


Phase I & Phase II

Crowded & Constricted Arches

Before Phase I




After Phase I




Upper & Lower Expansion (8 Months)

Phase II Before



After Phase II



Braces (18 Months)

ADOLESCENT Smile Development

Class I (Normal Bite of Back Teeth)

Class I Crowding

Before



After



Braces (18 Months)

Before




After




Braces (20 Months)

Before




After




Braces (20 Months)

Before



After



Braces (24 Months)

Class I

Before



After



Braces (20 Months)

Spacing

Before



After



Braces (18 Months)

Spacing

Before



After



Braces (15 Months)

Class II (Increased Overbite)

Class II Deepbite



After



Braces (24 Months)

Class II Deepbite



After



Braces (20 Months)

Class II Severe Crowding



After




Braces (24 Months)

Class II Overbite



After



Braces (20 Months)

Class II With TADs

Class II
Overbite & Protruded Upper front Teeth



After



Braces (24 Months)

Class II Overbite Used TADS

Before



After



Braces (20 Months)

Class II Overbite Used TADS



After



Braces (20 Months)

CLASS III

(Underbite)

Class III Severe Crowding & Posterior Crossbite







After







Braces 24 (Months)

Class III Crowding

Before







After



Braces 24 (Months)

EXTRACTIONS

(Removal of Permanent Teeth to Facilitate Orthodontic Outcome)

Class II Extracted Upper and Lower 1st Bicuspids




After



Braces (24 Months)

Class II Increased Overjet Upper and Lower Crowding Extracted Upper First Bicuspids

Before



After



Braces (24 months)

Class I Severe Crowding Extracted Upper and Lower 1st Bicuspids

Before




After



Braces (24 months)

Class II
Increased Overjet Severe Upper and
Lower Crowding Extracted Upper First Bicuspids

Before




After



Braces (24 months)

MISSING TEETH

Missing Teeth Opened Space for Upper Laterals



After



Braces (24 Months)

Missing Teeth Opened Space for Upper Left Lateral and Small Upper Right Lateral

Before Orthodontics




After Orthodontics

After Orthodontics & Restoration of Upper Right & Left Lateral



Braces (24 Months)

Missing Teeth Opened Space for Upper Right Lateral



After Orthodontics

After Orthodontics & Restoration



Braces (20 Months)

Missing Teeth Closed Space for Upper Laterals



After



Braces (20 Months)

Missing Teeth Closed Space for Upper Laterals



After



Braces (24 Months)

Missing Teeth Closed Space for Lower Incisor



After



Braces (18 Months)

Missing Teeth Closed Space for Lower 2ND Bicuspids Missing Upper Left 2nd Bicsupid (Kept Primary Tooth)




After




Braces with TADS (24 Months)

Missing Teeth Closed Space for Upper Right 2nd Bicuspid and Lower Left 2nd Bicuspid



After



Braces (24 months)

Missing Teeth Closed Space for Lower 2nd Bicuspids

Before







After







Braces with TADS (24 Months)

Missing Teeth Kept Lower Left Primary 2nd Molar for Missing 2nd bicuspid




After



Braces (18 Months)

Fused Upper Central Teeth

Before



After



Braces (20 Months)

Missing Teeth

Closed Space for Missing Upper Left Central Insicor Required Extraction of 3 Bicuspids

Before Orthodontic Treatment



After



After


Restorative Work to Make Lateral Incisor Look Like a Central



Braces (20 Months)

Missing Teeth

Close Space for Upper Right Central and Lateral Insicor



After

Braces and Restoration of 2nd Upper Right Teeth





Braces (24 Months)


ADULT SMILE DEVELOPMENT

Spaces

Before



After



Braces (18 Months)

Class I Spaces

Before







After







Braces (15 Months)

Class I Crowding



After



Braces (15 Months)


Class I

Severe Crowded Upper and Lower

Before



After




Braces with IPR (24 months)

Class I Severe Crowded Upper and Lower



After



Braces (18 months)

Severe Crowding

Before



After



Braces with IPR (20 Months)

Class I Crowding Patient had Perio Improvement of Lower Gums with Smile Development



After



Braces (18 Months)

ADULT TAD AND EXTRACTION TREATMENT

Class II Right Crowded Lower




After




Braces with TADs to correct bite (18 Months)

Class II Flared Upper Front Teeth



After



Braces with TADS (24 Months)

Class III Left




After



Braces with TAD on Lower Left (18 Months)

Class III Front Open Bite

Before



After



Braces with Upper & Lower TADS (20 Months)


Class III Left



After



Braces with TAD on Lower Left (18 Months) Class III Front Crossbite



After



Extraction of Lower Right Cuspid and Left Bicuspid and Braces (24 months)

Class I Front Open Bite




After



Braces with TADS (18 Months)

Class I Front Open Bite



After



Braces with TADS (18 Months)

SURGICAL SMILE DEVELOPMENT TREATMENT

Surgical Smile Development Class II Front Open Bite, Constricted Arches, Crowding



After



Braces with Surgery to Widen Upper Jaw & Advance Lower Jaw (24 Months)

Surgical Smile Development Class II, Division II, Deepbite Closed Space for Missing Tooth Lower Right Before



After



Braces with Surgery to Advance Lower Jaw (20 Months)

Surgical Smile Development Class III




After




Braces with Extraction of 4 Bicuspids & Surgery to Advance Upper Jaw & Retract Lower Jaw (24 Months)

Surgical Smile Development Class III

BEFORE



AFTER



Braces with Surgery to Retract Lower Jaw (18 Months)

COMPLEX CASES WITH RESTORATIONS AFTER SMILE DEVELOPMENT


Class II

Missing Lower Right Bicuspid

Opened Space for Restoration



After



After Restoration



Braces (20 Months)

Class II

Crowded with Worn Front Teeth

Before



After



Braces (20 Months) to correct Class II and level gums prior to restorations

After Restorations









Upper & Lower Front Teeth restored to Lengthen (notice cosmetic gingival contours)

Class II

Crowded Worn Front Teeth



After



Braces (15 months) to Correct Class II and Level Gums

After Restoration




Upper and Lower Front Teeth Restored to Lengthen

Class I

Deepbite Crowded Missing Back Teeth



After



Braces (24 months) to close space for 2 of 4 missing teeth so only needed two implants

Gingival Countouring Maxillary Anteriors

Before



After



Braces (20months) to align teeth followed by gingival contouring of upper front teeth

Esthetic Conturing of Upper Front Teeth



After



Braces (15 Months) with esthetic contouring of upper front teeth

LIMITED SMILE DEVELOPMENT

Limited Smile Development

Severe Crowding Extracted Lower Right Canine

Before



After



Lower Braces (10 Months)

Limited Smile Development

Severe Crowding Extracted Lower Left Lateral Incisor

Before



After



Lower Braces (10 Months)

Limited Smile Development

Lower Crowding

Before



After




Lower Braces (6 months)

Limitied Smile Development

Crowding

Before



After



Lower Braces (6 months)

INVISALIGN SMILE DEVELOPMENT

Invisalign Smile Development



After



(12 months)

Invisalign Smile Development

Before



After



(18 Months)

Invisalign Smile Development

Before



GINGIVAL CONTOURING

,




(15 Months)

Invisalign Smile Development

Class I Crowded Upper and Lower




After




(15 months)

Invisalign Smile Development Class I Crowded Upper and Lower




After



(11 months)

Invisalign Smile Development Class I Spacing

Before



After



(9 months)